

Version: 1.3

Date: 05 jANUARY 2020 Submitted to: ICT HEAD

Organization: TIMBER HOUSE PVT LTD

CUSTOMER REQUIRMENT

- CCTV Required For 04 Location
- 2 Location in Male City another 2 in Thilafushi Island
- All Location Need to be Monitor from Head Office
- Mobile Phone Monitoring Required
- 20Days Recording Backup Required
- A high performance managed surveillance with 24/7/365 availability

PRPOSED SOLUTION

SAFE NETWORK Proposes an solution that can efficiently manage the video surveillance and Backup Footage. Initially the solution shall comprise 20 IP camera of 04 sites and 02 Locations along with Local Footage Backup and Monitoring through Internet

SAFE NETWORK as one of the leading companies in information technology and security is undertaking this contract mainly to improve the security in TIMBER HOUSE administration block

This comes as a way of reducing the growing number of theft cases in the administration block. By the help of the CCTV cameras TIMBER HOUSE will be able to monitor and ensure maximum security for its facilities

Client Profile

TIMBER HOUSE PVT LTD Location Male / Thialfushi

Industry Segment
TIMBER & PLYWOOD

Product Used






Proposed solution

Part No.	Product Description	Qty	Comments
MS-C5364	5MP Milesight Bullet Cameras -OUTDOOR, 3-Axis Design	8	120 Degree / 2.8MM Lens
MS-C5383-PB	5MP Milesight Mini Dome Cameras -INDOOR -IN Microphone, Support SD card , 3-Axis Design (120 Degree)	7	120 Degree / 2.8MM Lens
MS-C5373-PB	5 Megapixel H.265+ 180° Panoramic Mini Bullet Network Camera POE (180 Degree)	6	Inside GODOWN
MS-N1008-UT	Milesight 08 Channels None POE NVR	2	GODOWN 01-03
MS-S0208-GL	8-Port POE Switch	3	Connecting Cam to NVR
	WD 6TB Surveillance Hard Disk Drive	2	20 Days Recording
DIP1520	Todaair Wi-Fi cpe High Power Mini Wireless Outdoor ap Repeater DC Power Todaair DIP1526-H High Power Wireless Access Point	2	Make Bridge connection GODOWN 01 – GODOWN 02
	Rack	2	
E-BCN-R	UPS	2	15-20 Minutes Power Backup

DIAGRAM



SAFE NETWORK Proposes an CCTV monitoring solution that can monitor environment and Backup Footage. Solution propose to install a 3 Major Location along with Local Footage Backup and Optional CCTV Monitoring through Internet

The CCTV monitoring device will have a web interface so the users can login to the device. Uses will be created on each device to manage/monitor their offices. Users can be given rights only for monitoring. In case of having multiple monitoring devices, central management software will enable the configuration of all devices from a central location.

Alerts can be configured to inform exceed in a given threshold and returning to normal status. So, the authorities will be aware of what is happening in the remote Location.

Product Details

MS-C5364



5 Megapixel H.265 IR Mini Bullet 2.8mm Vandal Proof Network Camera

MS-C2983-PB



5 Megapixel H.265 IR Mini Dome 2.8mm Vandal Proof Network Camera



MS-C8165-PB



MS-N1016=-UT



4K H,265 Pro NVR Series



